In The Claims

The text of all claims under examination is submitted, and the status of each is identified. This listing of claims replaces all prior versions, and listings, of claims in the application.

1. (currently amended): A storage-stable <u>aqueous</u> fluorescent whitener formulation comprising

(a) <u>at least 10 % - 60 %</u> by weight, based on the total weight of the whitener formulation, of at least

one compound of formula (1)

$$X_{1} \longrightarrow \begin{pmatrix} X_{2} \\ N \\ N \end{pmatrix} \longrightarrow \begin{pmatrix} MO_{3}S \\ N \\ R_{1} \end{pmatrix} \longrightarrow \begin{pmatrix} MO_{3}S \\ N \\ N \end{pmatrix} \longrightarrow \begin{pmatrix} R_{2} \\ N \\ N \end{pmatrix} \longrightarrow \begin{pmatrix} N \\ N \\ N$$

wherein

 R_1 and R_2 are, independently from each other, hydrogen; unsubstituted C_1 - C_8 alkyl,

 X_1 and X_3 are -NH₂,

 X_2 and X_4 are, independently from each other, $-N(R_3)R_4$ or $-OR_5$, wherein R_3 and R_4 are, independently of each other, hydrogen; cyano; unsubstituted C_1 - C_8 alkyl; substituted C_1 - C_8 alkyl; unsubstituted C_5 - C_7 cycloalkyl or unsubstituted C_5 - C_7 cycloalkyl; or R_3 and R_4 , together with the nitrogen atom linking them, form a heterocyclic ring, and R_5 is unsubstituted C_1 - C_8 alkyl or substituted C_1 - C_8 alkyl, and

M is hydrogen or a cation selected from the group consisting of Li, Na, K, Ca, Mg, ammonium, mono-, di, tri or tetra C_1 - C_4 alkylammonium, and mono, di- or tri- C_2 - C_4 -hydroxyalkylammonium,

- (b) 0.01 1% by weight, based on the total weight of the whitener formulation, of at least one anionic polysaccharide,
- (c) 0-25% by weight, based on the total weight of the whitener formulation, of at least one electrolyte,
- (d) 0-20% by weight, based on the total weight of the whitener formulation, of at least one dispersant,

- (e) 0-30% by weight, based on the total weight of the whitener formulation, of at least one further fluorescent whitener.
- (f) 0 20% by weight, based on the total weight of the whitener formulation, of at least one further optional component, and
- (g) water to make up 100% by weight.
- **2.** (currently amended): A storage-stable fluorescent whitener formulation according to claim 1 comprising

at least 10 % - 60 % by weight, based on the total weight of the whitener formulation, of at least one compound of formula (1), wherein

R₁ and R₂, independently from each other, hydrogen or C₁-C₄alkyl,

- , X₂, and X₄ are independently from each other a radical of formula -N(R₃)R₄, wherein R₃ and R₄ are, independently from each other, hydrogen; cyano; C₁-C₈alkyl which is unsubstituted or substituted by hydroxy, carboxy, cyano, -COOH, -H₂NC(NH)NH₂-, -CONH₂ or phenyl, and wherein the C₁-C₈alkyl group is uninterrupted or interrupted by -O-; unsubstituted C₅-C₇cycloalkyl or C₁-C₄alkyl-substituted C₅-C₇cycloalkyl; or R₃ and R₄, together with the nitrogen atom linking them, form an unsubstituted morpholino, piperidine or pyrrolidine ring or a C₁-C₄alkyl-substituted morpholino, piperidine or pyrrolidine ring.
- 3. (cancelled).
- **4.** (previously presented): A storage-stable fluorescent whitener formulation according to claim 1 comprising

10 to 50% by weight, based on the total weight of the formulation, of at least one compound of formula (1).

- **5.** (previously presented): A storage-stable fluorescent whitener formulation according to claim 1 wherein the anionic polysaccharide is selected from the group consisting of sodium alginate, carboxymethylated guar, carboxymethylcellulose, carboxymethyl-starch, carboxymethylated locust bean flour and xanthan gum.
- **6.** (previously presented): A storage-stable fluorescent whitener formulation according to claim 1 comprising

0.05 to 0.5% by weight based on the total weight of the formulation, of at least one anionic polysaccharide.

- **7.** (previously presented): A storage-stable fluorescent whitener formulation according to claim 1 wherein the electrolyte or the mixture of electrolytes are selected from the group consisting of alkali metal salts and salts of lower carboxylic acids.
- **8.** (previously presented): A storage-stable fluorescent whitener formulation according to claim 1 comprising
- 0.5 to 20% by weight, based on the total weight of the formulation, of at least one electrolyte.
- 9. (previously presented): A storage-stable fluorescent whitener formulation according to claim 1 wherein the dispersant or the mixture of dispersants are selected from the group consisting of alkylbenzenesulfonates, alkyl or alkenyl ether-sulfonate salts, saturated or unsaturated fatty acids, alkyl or alkylene ether-carboxylic salts, sulfo-fatty acid salts or esters, phosphate esters, polyoxyethylene alkyl or alkenyl ethers, polyoxyethylene alkylvinyl ethers, polyoxypropylene alkyl or alkenyl ethers, higher fatty acid alkanolamides or alkylene oxide adducts, sucrose/fatty acid esters, fatty acid/glycol monoesters, alkylamine oxides and condensation products of aromatic sulfonic acids with formaldehyde and lignin-sulfonates.
- **10.** (previously presented): A storage-stable fluorescent whitener formulation according to claim 1 comprising 0.1 to 20% by weight, based on the total weight of the formulation, of at least one dispersant.
- **11.** (previously presented): A storage-stable fluorescent whitener formulation according to claim 1 comprising of at least one further fluorescent whitener of formula (2)

wherein

 R_6 and R_8 , independently from each other, are hydrogen; unsubstituted C_1 - C_8 alkyl,

 R_7 and R_9 , independently from each other, are hydrogen; unsubstituted phenyl; unsubstituted C_1 - C_8 alkyl or substituted C_1 - C_8 alkyl, or

 NR_6R_7 and/or NR_8R_9 form a morpholino ring, and M is hydrogen or a cation.

and M is an alkali metal atom.

12. (original): A storage-stable fluorescent whitener formulation according to claim 11 wherein R_6 and R_8 , independently from each other, are hydrogen; unsubstituted C_1 - C_2 alkyl or C_1 - C_4 alkyl, which is substituted by hydroxy or C_1 - C_4 alkoxy,

 R_7 and R_9 , independently from each other, are unsubstituted phenyl; unsubstituted C_1 - C_2 alkyl or C_1 - C_4 alkyl, which is substituted by hydroxy or C_1 - C_4 alkoxy, or NR_8R_7 and/or NR_8R_9 form a morpholino ring,

13. (previously presented): A storage-stable fluorescent whitener formulation according to claim 1 comprising of at least one further fluorescent whitener of formula (3)

$$R_{10}$$
 SO_3M SO_3M R_{11} (3)

wherein

 R_{10} and R_{11} , independently from each other, are hydrogen; C_1 - C_8 alkyl; C_1 - C_8 alkoxy or halogen, and M is hydrogen or a cation.

14. (previously presented): A storage-stable fluorescent whitener formulation according to claim 1 comprising 0 to 25 % by weight of at least one further fluorescent whitener of formula (2)

wherein

 R_6 and R_8 , independently from each other, are hydrogen; unsubstituted C_1 - C_8 alkyl,

 R_7 and R_9 , independently from each other, are hydrogen; unsubstituted phenyl; unsubstituted C_1 - C_8 alkyl or substituted C_1 - C_8 alkyl, or

NR₆R₇ and/or NR₈R₉ form a morpholino ring,

and M is hydrogen or a cation

and/or formula (3)

$$R_{10}$$
 SO_3M SO_3M R_{11} (3)

wherein

 R_{10} and R_{11} , independently from each other, are hydrogen; C_1 - C_8 alkyl; C_1 - C_8 alkoxy or halogen, and M is hydrogen or a cation.

- **15.** (previously presented): A storage-stable fluorescent whitener formulation according to claim 1 wherein optional components are selected from the group consisting of preservatives; Mg/Al silicates; odour improvers; perfuming agents; antifoam agents; builders; protective colloids; stabilizers; sequestering agents and antifreeze agents.
- **16.** (previously presented): A storage-stable fluorescent whitener formulation according to claim 1 comprising 0.1 to 20% by weight based on the total weight of the formulation, of at least one optional component.
- **17.** (previously presented): A process for the preparation of a storage-stable fluorescent whitener formulation according to claim 1, which comprises mixing the moist filter cake or the dry powder of the fluorescent whitening of formula (1) with least one anionic polysaccharide and water, and homogenizing the formulation.
- **18.** (previously presented): A method for the preparation of a detergent composition, which comprises incorporating into said composition an effective whitening amount of a storage-stable fluorescent whitener formulation according to claim 1.